



(slika je simbolična)

TP-Link Deco X50 (3 pack) domači Mesh Wifi sistem

Kategorija: [Usmerjevalniki](#)

Dobavljivost: **predvidena dobava 05.08.2026**

Šifra: **110039**

Cena: 237,13€ ~~269,46€~~

Kratek opis

Standards

Wi-Fi 6

IEEE 802.11ax/ac/n/a 5 GHz
IEEE 802.11ax/n/b/g 2.4 GHz

WiFi Speeds

AX3000

5 GHz: 2402 Mbps (802.11ax, HE160)
2.4 GHz: 574 Mbps (802.11ax)

4-6+ Bedroom Houses (3-pack)

WiFi Range

TP-Link Mesh Technology

Optional Ethernet backhaul work together to link Deco units to provide seamless coverage

AI-Driven Mesh

Intelligently learns the network environment to provide ideal Wi-Fi unique to your home

2x Antennas (Internal)

Multiple antennas form a signal-boosting array to cover more directions and large areas

Beamforming

Concentrates wireless signal strength towards clients to expand WiFi range

High

Dual-Band
Distribute devices to different bands for optimal performance

WiFi Capacity

2x2 MU-MIMO
Simultaneously communicates with multiple MU-MIMO clients

OFDMA
Simultaneously communicates with multiple WiFi 6 clients

4 Streams
More than enough bandwidth for connected devices

Working Modes

Router Mode
Access Point Mode

HARDWARE

Processor 1 GHz Dual-Core CPU

Button Reset Button

3x Gigabit Ports

Ethernet Ports

*Per Deco Unit
Supports WAN/LAN auto-sensing

SECURITY

WiFi Encryption

WPA-Personal
WPA2-Personal
WPA3-Personal

SPI Firewall
Access Control

HomeShield Security

Network Security

Real-Time IoT Protection
Malicious Site Blocker
Intrusion Prevention System
DDoS Attack Prevention
Home Network Scanner

Guest Network

1x 5 GHz Guest Network
1x 2.4 GHz Guest Network

SOFTWARE

Protocols

IPv4
IPv6

Service Kits

HomeShield
[Learn More>](#)

HomeShield Parental Controls

Parental Controls

Custom Profiles
Professional Content Filter Library
Family Time
Bedtime
Off Time
Time Rewards
Family Online Time Ranking
Pause the Internet
Weekly and Monthly Reports

WAN Types

Dynamic IP
Static IP
PPPoE
PPTP
L2TP

Quality of Service

HomeShield QoS

QoS by Device

SOFTWARE

Cloud Service	OTA Firmware Upgrade
	TP-Link ID
	DDNS
NAT Forwarding	Port Forwarding
	UPnP
IPTV	IGMP Proxy
	IGMP Snooping
	Bridge
	Tag VLAN
DHCP	Address Reservation
	DHCP Client List
	Server
DDNS	TP-Link
Management	Deco App

PHYSICAL

Dimensions (W×D×H)	4.33 × 4.33 × 4.49 in (110 × 110 × 114 mm)
---------------------------	---

Deco X50 (1-pack)

1 Deco X50 unit
1 RJ45 Ethernet cable
1 Power adapter
1 Quick Installation Guide

Deco X50 (2-pack)

Package Contents	2 Deco X50 units
	1 RJ45 Ethernet cable
	2 Power adapters
	1 Quick Installation Guide

Deco X50 (3-pack)

3 Deco X50 units
1 RJ45 Ethernet cable
3 Power adapters
1 Quick Installation Guide

OTHERS

System Requirements	Android 4.4 or later iOS 9.0 or later
Certifications	CE, FCC, RoHS, RCM
Environment	Operating Temperature: 0°C~40°C (32°F~104°F)
	Storage Temperature: -40°C~70°C (-40°F~158°F)
	Operating Humidity: 10%~90% non-condensing
	Storage Humidity: 5%~90% non-condensing

TEST DATA

WiFi Transmission Power	CE:
	<20 dBm (2.4 GHz)
	<23 dBm (5 GHz)
	FCC:
	<30 dBm (2.4 GHz)
	<30 dBm (5 GHz)

Uradna stran proizvajalca: [https://www.tp-link.com/my/home-networking/deco/deco-x50/v1%20\(3-pack\)/#overview](https://www.tp-link.com/my/home-networking/deco/deco-x50/v1%20(3-pack)/#overview)